


WATER PAINTING  
BOOTH WITH  
DOUBLE VEIL



[WWW.FAMSRL.EU](http://WWW.FAMSRL.EU)

**FAM**  
ITALY



DOPPPIO  
VELLO D'ACQUA

## ***CABINA CON VASCA DI RACCOLTA ACQUA SOPRA PAVIMENTO***

- Configurazione standard
- Struttura composta da pannelli in lamiera zincata pressopiegata
- Doppio velo d'acqua frontale, nebulizzatori e separatori di gocce in PVC
- Vasca raccolta acqua in acciaio inox
- Filtrazione aria composta da cassette munite di filtri paint stop
- Aspirazione tramite elettroventilatore antiscintilla
- Elettropompa in acciaio INOX con girante a immersione e con motore esterno
- Illuminazione tramite plafoniere IP66
- Quadro elettromeccanico IP55
- !Optional su richiesta!

## ***BOOTH WITH RAISED WATER COLLECTION TANK***

- Standard configuration
- Structure made of galvanized metal sheet
- Frontal double water veil, nebulizers and PVC droplet separators
- Stainless steel water collection tank
- Air filtration composed of drawers equipped with paint stop filters
- Suction through a sparkproof electrical fan
- Stainless steel electrical pump with impeller and external motor
- IP66 Light fixtures
- IP55 Electromechanical control board
- !Options on request!



# SCHEDA TECNICA

## DATA SHEET

MODELLO Model	DIMENSIONI UTILI Useful dimensions (mm)	PORTATA D'ARIA Air flow (m3/h)	POTENZA MOTORE Motor power (kw)	ILLUMINAZIONE Lighting	POTENZA POMPA Puma power (kw)
DVA 2A	2000x2000xh.2360	8.000	3	1 PUNTO LUCE 2TL 58W c.d 1x light fixture 2TL 58W each one	1,1
DVA 3A	3000x2000xh.2360	11.000	5,5	1 PUNTO LUCE 2TL 58W c.d 1x light fixture 2TL 58W each one	1,1
DVA 4A	4000x2000xh.2360	15.000	7,5	2 PUNTI LUCE 2TL 58W c.d 2 x light fixtures 2TL 58W each one	1,1
DVA 5A	5000x2000xh.2360	11.000+11.000	5,5+5,5	2 PUNTI LUCE 2TL 58W c.d 2 x light fixtures 2TL 58W each one	1,5
DVA 6A	6000x2000xh.2360	15.000+15.000	7,5+7,5	3 PUNTI LUCE 2TL 58W c.d 3 x light fixtures 2TL 58W each one	2,2